slices RI

SLICES

European Scientific Large-Scale Infrastructure for Computing/Communication Experimental Studies

Peter Kacsuk SZTAKI <u>kacsuk@sztaki.hu</u> Prepared with the help of the SLICES community

The SLICES ESFRI program

- What is ESFRI?
- ESFRI, the European Strategy Forum on Research Infrastructures, is a strategic instrument to develop the scientific integration of Europe and to strengthen its international outreach.
- SLICES is the first ESFRI program in the field of information technology



Fully Controllable, programmable Virtualized Digital Infrastructure Test Platform



- SLICES will be a highly distributed infrastructure
- The environments we aim to study are themselves distributed, e.g., Fog/Edge computing
- Goal is to support a large variety of viable topologies in distributed computing systems.
- SLICES will provide a fully programmable, remotely accessible infrastructure
- The software architecture of SLICES will organize the different geographically dispersed site facilities in a single pan-European facility



SLICES in a nutshell

- Launched in 2017, SLICES is a RI to support the academic and industrial research community that will design, develop and deploy the Next Generation of Digital Infrastructures:
 - SLICES-RI is a distributed RI providing several specialized instruments on challenging research areas of Digital Infrastructures, by aggregating networking, computing and storage resources across countries, nodes and sites.
 - Scientific domains: networking protocols, radio technologies, services, data collection, parallel and distributed computing and in particular cloud and edge-based computing architectures and services.





what we offer





SLICES for research on DIs



▖▖▖▖▖▖▖▖▖▖▖▖▖▖▖▖▖▖▖▖▖▖

Initiated in 2017, **25 partners** from 15 countries:

- 12 political support from National Ministries <a>[1]
- included in 5 national roadmaps

SLICES will enable scientific excellence and breakthrough and will foster innovation in the ICT domain, strengthening the impact of European research, while contributing to European agenda to address societal challenges, and in particular, the twin transition to a sustainable and digital economy.

Prioritisation of research topics What's the methodology behind it?





Prioritisation of research topics

- New waveforms, higher frequencies up to THz.
- Spectrum and wireless management.
- Integrated sensing and communication.
- Heterogeneous radio management.

(6.



- Advanced protocols and architectures (virtualization, softwarization, programmability).
- Al applied to infrastructure operation and optimization.
- Generation of data to train algorithms.
- Distribution of intelligence into (and beyond) the Edge of the network.

SMART INFRASTRUCTURE OPERATION AND MANAGEMENT

.....

- Fog/Edge/cloud hyper converged infras
- Software component deployment.
- Distributed resource management & microservices.
- Geo-distributed data management.
- Federated deep learning.
- Datacentres infras for distributed systems, appli. and software stacks.

DESIGN & VALIDATION ••• OF NEW DIS AND HYPER-CONVERGED INFRAS

- New challenges arising from the verticals and the ubiquitous networks.
- Interoperability, composable infrastructure services on-demand (RI as a Service).
- Seamless user experiences across technologies and domains.

ADVANCED FUNCTIONALITIES







SLICES contribution to the development of the EOSC



EUROPEAN OPEN SCIENCE CLOUD Objectives: federate existing research data infrastructures in Europe and realise a web of FAIR data and related services for science.



Allow experimentation with future/emerging digital, IT and network technologies (e.g., 6G, IoT, Edge, AI, hyper-converged infrastructure).



#2 EU-wide availability of unique Software and App Repositories

- ICT research-related services (e.g., testing new infrastructure and network solutions);
- Applications deployed within SLICES;
- Simulation tools;
- Data analysis tools.

Published in the EOSC Catalog and Marketplace and accessible with different access options.



EOSC-hub

open access (

Orderable via provider channel Orderable via EOSC hub

#3

Interoperability with **Open and FAIR data**

- Producers of unique data;
- Maximize data reuse by adopting of FAIR data principles in Data Management and Governance;
- Processing of sensitive and personal information.



Integration of the

SLICES communities to EOSC

- SLICES community building
 - More than 120 participants to the 1st SLICES workshop;
 - Thousands of users of existing infrastructures.
- Training services

SLICES timeline II.

2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2030
2031
2032
2033
2035
2036
2037
2038
2039
2040
2041
2042

S1
S2
S1</





SLICES timeline I.

SLICES-SC, as part of SLICES



SLICES-PP

Sep. SLICES PREPARATION PHASE (40M, up to Dec. 2025)...







Figure 1: SLICES Architecture Layout Overview







SLICES-SC web page: https://slices-sc.eu/



what is Slices-SC?

Today we are experiencing the digital transformation happening with an unprecedented pace, with the community constantly researching on new solutions to support this transformation with ample computational power and connectivity. Towards addressing such research efforts, Research Infrastructure (RI) specific to addressing Digital Sciences research efforts have been deployed worldwide, towards trying to address key aspects contrary to off-theshelf commercial infrastructure:

1) Full control over the parameters of an experiment,

2) Repeatable experiments regardless of the physical infrastructure,

3) Valid experimental results, which are easy to cross-reference and replicate.

As such, several RIs have emerged, offering experimentation services with bleeding edge resources, that otherwise are only offered only in industrial R&D laboratories, with limited functionality. Towards combating these issues, SLICES Research







Imec IDLab iLab.t infrastructure

The node at iMEC exists out of 5 testbeds at two locations in Belgium (Gent and Antwerpen) (https://doc.ilabt.imec.be):

- Virtual wall (Gent): to perform wired networking, cloud, distributed software, service backends and scalability experiments. 550+ installed servers.
- w-iLab.t (Gent): pseudo shielded environment for wireless and IoT research with over 150 wireless nodes (fixed and mobile), including software defined radios
- Officelab (Gent): a real office environment for wireless and IoT research with over 110 embedded PCs spread over the building.
- GPULab (Gert and Antwerpen): testbed with 125+ GPUs with over 570.000+ cuda cores and 1.8TB+ GPU RAM for AI research and everything which needs GPUs
- CityLab (Antwerpen): testbed for wireless networking experimentation in the unlicensed spectrum in the city of Antwerp. 50 nodes are spread over an area of 1 square km.









OneLab Cloud Infrastructure

- The facility is located in the campus Sorbonne Université at Paris
- Provides bare-metal, cloud compute and storage resources to run Cloud-based experiments
- Serge Fdida <u>serge.fdida@lip6.fr</u>





CloudLab: Paris Cluster

- Collaboration with the NSF's CloudLab US project
- Related to the development and deployment of Cloud Software Stack components and services
- Control over compute, storage and network resources and visibility all the way down to the bare metal
- Access all CloudLab sites infrastructure using a OneLab Credential



OpenStack Cloud Automation

- Automate the provisioning and configuration
- Provides customizable Virtual Servers on the OpenStack Cloud
- Composed of 3 controller nodes and 9 compute nodes, it provides over hundred of compute cores to experimenters.
- Connected to a 10G SFP+ network switch



Accessibility

- The resources are available in our portal
- Option to automate the resources configuration with ansible-playbooks supports
- Access via SSH directly or via a gateway





Select resources (3 Maximum)







The offer of the Polish Node for academia, industry and SMEs

Bartosz Belter <u>bartosz.belter@man.poznan.pl</u>

Poznan Supercomputing and Networking Center

SLICES-PL: the Polish Node of SLICES-RI

- The target RI will be based on projects from National Roadmap of Research Infrastructures in Poland:
 - PIONIER-LAB: National Platform for Integration of Research Infrastructures for Innovation Ecosystem
 - 5G-LAB Polska: National Laboratory for Advanced 5G Research
 - NLPQT: National Laboratory for Photonics and Quantum Technologies
- All projects are currently in progress. Infrastructures in operation from Jan 2024.





NATIONAL LABORATORY FOR PHOTONICS & QUANTUM TECHNOLOGIES



SLICES-PL: the Polish Node of SLICES-RI

- Currently, only limited research services and resources are available for the 2nd Open Call for Experiments in SLICES-SC:
 - Cloud services
 - Multimedia services
 - Optical and measurement equipment
- At this moment the only API for accessing resources and services is email-based.
- All requests with the description of the experiment and required resources and services should be directed to the manager of the SLICES node (Bartosz Belter <u>bartosz.belter@man.poznan.pl</u>) and the internal mailing list at PSNC (<u>slices@man.poznan.pl</u>).



SLICES-PL: the Polish Node of SLICES-RI

Cloud services

- Total: 512 vCPU, 2 TB RAM, 40 TB of disk space
- Single reservation max 16 vCPU, 64 GB RAM, 1,25 TB of disk space

Multimedia services

- 8K Visualization Lab. A 6-meter-wide screen with native 8K resolution.
- 8K recording set, consisting of 4 SONY F65 cameras with the ability to record and live stream of 8K signal.
- Motion-capture equipment.
- 3D scanning station.
- High-order ambisonic sound equipment.

Selected examples of the use of SLICES Research Infrastructure by SMEs:

- Distributed Deep Learning Platform: https://www.fed4fire.eu/demo-stories/oc1/ddlp/
- Realtime ultrahigh definition medical collaboration platform: <u>https://www.fed4fire.eu/demo-stories/oc1/ubimed4k/</u>







Open5GLab

- Open5GLab at EURECOM is one of 3 experimental 5G sites in France.
- Construction began in July 2018 and 5G experimentation is now available.
- The site is interconnected with similar sites in Europe in the 5G-EVE network.
- Open5gLab provides experimental 5G services including so-called Enhanced Mobile Broadband (eMBB) and massive machine-type communications
- It is the main experimental playground for OpenAirInterface (OAI) and Mosaic-5g (M5G) software packages.
- The site's cluster computing resource makes use of RedHat's OpenShift 4.2 Kubernetes container platform.
- The cluster is used for radio-access, core network and mobile-edge functions.
- Some bare-metal nodes with in-lab 5G-capable radio devices can be used with a Kubernetes cluster.







5G test network of University of Oulu, Finnland



- Full-scale 5G test network supports
 - using 5G devices,
 - higher frequency bands,
 - cognitive management functionalities,
 - system testing tools for new solutions.
- The 5G Test Network feature evolution follows 5G research and standardisation progress
- Acting as verification platform for theoretical 5G research.









NITOS testbed: a heterogeneous environment for 5G and beyond experimentation

Nikos Makris

<u>nimakris@uth.gr</u> Dept. of ECE, University of Thessaly





Background Information

- Founded in 1984
- Located in Volos, Thessaly, Greece
- Network Implementation Testbed Laboratory (NITlab)
 - Head: Prof. Thanasis Korakis
 - 30 researchers (research engineers, postdocs, PhD students, master students)
 - Research activities in the field of wired and wireless networking, cloud, smart cities
 - Strong participation in EU projects
 - Website: <u>https://nitlab.inf.uth.gr</u>







Team mission/goals

- The lab members focus their research in the following domains:
 - Research driven by experimentation with 5G, 4G, Wi-Fi, and mmWave wireless and programmable wired communication networks.
 - Research on Cloud and Edge Computing, virtualization of network and computing resources
 - Research on IoT (Internet of Things) technologies with the development of new platforms for testing wireless sensor networks, integrating various wireless communication technologies, and visualizing measurements.
 - Research on the application of Machine Learning for optimizing the network operation
- Key tool for the research is the NITOS wireless testbed



NITOS Testbed









Several components allow experimentation with emerging 5G and beyond technologies

- **Open-Source 5G** with Software Defined Radios
- Edge cloud deployments for minimized latency (<10ms for 5G access)
- Antennas with programmable attenuation for **mobility** emulation
- Point-to-multipoint mmWave units with beam-steering capabilities for **Fixed Wireless Access**









5TONIC Facility

Carmen Guerrero carmen.guerrero@uc3m.es University Carlos III of Madrid IMDEA Networks



What is 5TONIC?



5TONIC Main Site: IMDEA Networks

- Standalone building
- Access both to open ground and rooftop, for the installation of radiating elements
- Equipment center, hosting the equipment of members and collaborators
- 10 Gbps internet connection
- Auditorium and facilities for public presentations and events
- Additional facilities at Telefónica and Ericsson offices
- Access to UC3M facilities both in Leganes and Madrid city center







5TONIC objectives

5TONIC is an international

open co-creation laboratory

focusing in 5G/6G

technologies,

founded by Telefónica,

IMDEA Networks and

University Carlos III of

Madrid and based in









COSMOTE Exploitation Options

IoT Testbed/Playground – RT Mode





A "site" with various sensors (energy, environmental, door/window, activity, etc.) integrated ^(*) RT data acquisition – via MQTT

(Cloud) WebGUI for sensor measurements depiction, manipulation/actuation, automations, etc. լլլլ

NRT and historical sensors' data visualization

(*) Possibility to incorporate additional sensors residing in other locations | anywhere









Research Lab

Walid Dabbous, Thierry Parmentelat, Thierry Turletti, Damien Saucez (firstname.lastname@inria.fr) INRIA Sophia Antipolis Research Center January 19th 2023

R2lab: Reproducible Research Lab

Hardware

- An RF isolated anechoic chamber
- 37 PCs with 2 WiFi cards
- With s/w radio devices (USRP, limesdr, LoRa...)
- 2 COTS mobile phones
- To come: RRU & P4 switches

Experimental features

- Wholesale reservations
- Full control of nodes
- OS images store

Software

- OpenAirInterface for 4g/5g
- GnuRadio for USRP
- nepi-ng experiment controller





For more information

- The R2lab web site:
 - <u>https://fit-r2lab.inria.fr/</u>
- Several tutorials are available at:
 - https://fit-r2lab.inria.fr/tutorial.md
- Publications related to R2lab can be found at:
 - https://fit-r2lab.inria.fr/papers.md
- To sign up:
 - <u>https://fit-r2lab.inria.fr/tuto-010-registration.md</u>
- Contacts:
 - <u>fit-r2lab-users@inria.fr</u>, <u>Thierry.Parmentelat@inria.fr</u>.



01/02/2023





SLICES-ITA

The SLICES-ITA infrastructure node is a combination of heterogeneous testbeds independently operated by CNR, CNIT and CINI. In the following, we provide a brief description of these testbeds. It is important to point out that, while CNR, CNIT and CINI are all members of the SLICES initiatives, only CNR participates in the SLICES-SC project. Thus, transnational and virtual access activities will primarily be supported using CNR facilities.

> Pisa – Italy protocollo.iit@pec.cnr.it





Thank you

www.slices-ri.eu

On behalf of SLICES consortium





For more information, please contact: Serge Fdida serge.fdida@sorbonne_université.fr

www.slices-ri.eu